

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

subnet mask broadcast address

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 202,000 for **subnet mask broadcast address**. (0.25 seconds)**Subnet Masking and Addressing**

Table E-2 lists valid **addresses** for the .128 **subnet mask**. This **mask** permits up to 2 **subnets** with enough host **addresses** for 126 hosts per **subnet**. ...

www.cisco.com/univercd/cc/td/doc/product/iaabu/pix/pix_v42/pix42cfg/pix42ape.htm - 40k -

[Cached](#) - [Similar pages](#)

Subnet Addressing

A **subnet mask** (or number) is used to determine the number of bits used for the ... The last number in each **subnet** is reserved for the **broadcast address**, ...

www.nwc.com/unixworld/tutorial/001.html - 66k - [Cached](#) - [Similar pages](#)

IP Addressing, subnet mask, wildcard mask

IP Addressing tutorial explaining how **subnet masks** work, the variable length ...

A **Broadcast Address** for a **subnet** is when all 1's are used in the host ...

www.rhyshaden.com/ipadd.htm - 32k - [Cached](#) - [Similar pages](#)

On IP Subnetting and Subnet Masks

The network base **address** and **subnet mask** determines what portion of the 32-bit

... The last one, 207.199.153.224, is the **broadcast address** for the **subnet**. ...

www.digipro.com/Papers/IP_Subnetting.shtml - 20k - [Cached](#) - [Similar pages](#)

Subnet masks

The last **address** (all 1s) is the **broadcast address** of the network. Typically the network **address** +1 or ... **Subnet mask**, total-**addresses**. /20. 255.255.240.0 ...

xtronics.com/reference/ip-subnetmasks.htm - 11k - [Cached](#) - [Similar pages](#)

Default IP Routers, Network Masks, and Broadcast Addresses

Default IP Router, Network **Mask**, **Broadcast Address** ... the new **subnet mask**

255.255.248.0 and new **broadcast address** 128.112.204.0 must be used; these devices ...

www.net.princeton.edu/iprouters.html - 13k - [Cached](#) - [Similar pages](#)

IP Subnetting: Questions & Answers

How is a **subnet mask** formed? For all the bits in the IP **address** which are ...

In the **broadcast address**, all the other bits including the network and host ID ...

www.geocities.com/SiliconValley/Vista/8672/network/subnet.html - 14k - [Cached](#) - [Similar pages](#)

IP Subnet Calculations

Both IP **addresses** and **subnet masks** are composed of 32 bits divided into 4 ...

Any message sent to the **broadcast address** will be received by every host on ...

www.swcp.com/~jgentry/topo/unit3.htm - 14k - [Cached](#) - [Similar pages](#)

TCP/IP Addressing

For example, the **subnet mask** of the Class A **address** with the partitioning ...

The **broadcast address** can be changed temporarily by changing the **broadcast** ...

www.unet.univie.ac.at/aix/aixbman/commadmn/tcp_address.htm - 19k - [Cached](#) - [Similar pages](#)

Network Calculators

Subnet Mask Calculator. Enter the TCPIP Network **Address**: ... **Subnets**:. Nodes/Hosts

per Network (including network and **broadcast addresses**)***: ...
www.subnetmask.info/ - 37k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Google Desktop Search



9:30 AM

Free! Instantly find your email, files, media and web history. [Download now.](#)

subnet mask broadcast address

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google